







TANK SIZE
 DIAMETER _____
 SIDE SHELL HEIGHT _____
 OVER ALL HEIGHT IF REQD _____
 WORKING PRESSURE _____
 100 PSI _____
 125 PSI _____
 150 PSI _____
 OTHER _____ PSI
 CODE REQUIREMENTS _____
 NON CODE _____
 NON CODE W/ HYDRO TEST REQD _____
 CODE _____

TANK LINING (INTERIOR)
 STANDARD EPOXY _____
 SPECIAL EPOXY _____ MILS
 GALVANIZED _____
 PREP FOR RUBBER _____
 PREP FOR VINYL ESTER _____
 OTHER _____
TANK COATING (EXTERIOR)
 GALVANIZED _____
 STANDARD PRIME COAT _____
 OTHER _____
TANK LEGS
 ANGLE LEGS _____
 STRAP LEGS _____
 BEAM LEGS _____
 JACK PADS _____
 PIPE LEGS _____
 RING BASE _____
MOUNTING CLIPS
 INTERIOR - # C.S. _____ S.S. _____
 EXTERIOR - # C.S. _____ S.S. _____
SPECIAL REQUIREMENTS
 LIFT LUGS _____
 FALSE BOTTOM _____
 DISTRIBUTOR PLATE _____
 NUMBER OF HOLES _____
 SIZE OF HOLES THREADED _____
 HIGH TEMP _____ °F
 STAINLESS TANK - TYPE _____ S.S. _____
HEAD SHAPE
 STANDARD F & D (STK NON CODE)
 CODE SHAPE F & D (STK NON CODE)
 HIGH CROWN (NOT STOCKED)
 SEMI-ELLIP (STOCK CODE)



COMPANY: _____
 CONTACT: _____
 PHONE: _____
 FAX: _____
 QUANTITY: _____
 LEFT HAND/RIGHT HAND? _____



PRICE: _____ EACH / VALID FOR _____
 WRAP / SKID: _____ EACH
 WEIGHT: _____ LBS/EACH
 CAN SHIP IN: _____ WEEKS AFTER DWG APPROVAL

SCHEDULE OF OPENINGS

MARK	SIZE	TYPE	SERVICE
A			
B			
C			
D			
E			
F			
G			
H			

NOTES:
 1. STRAP LEGS CAN BE USED THRU Ø42". TYPE OF LEGS MUST BE SPECIFIED.
 2. FILL IN THE SCHEDULE OF OPENINGS AND MARK THEIR APPROXIMATE LOCATION ON THE DRAWING. NOTE ANY STAINLESS OPENINGS. ALL REQUIRED SPECIFICATIONS MUST BE MARKED TO INSURE A PROPER QUOTATION.